Appl. No. 10/696,754 Response Dated June 27, 2004 Reply to Office Action of April 18, 2005

Amendments to the Claims:

This listing will replace all prior versions and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A heating assembly, comprising:

a pan;

an insulating frame, wherein the pan is attached to the insulating frame; a substrate having a major surface and a thin film conductive coating disposed thereon, wherein the substrate is attached to the insulating frame; and at least two bus bars, the bus bars being disposed onto and in electrical contact with the coating, the bus bars being capable of carrying electrical heating currents.

- 2. (Original) The heating assembly of claim 1, wherein the insulating frame comprises a ring.
 - 3. (Original) The heating assembly of claim 2, wherein the pan comprises metal.
- 4. (Original) The heating assembly of claim 3, wherein the pan is attached to a cooktop.

Appl. No. 10/696,754 Response Dated June 27, 2004 Reply to Office Action of April 18, 2005

- 5. (Original) The heating assembly of claim 1, wherein the insulating frame comprises a high temperature dielectric material.
- 6. (Original) A warming device comprising the heating assembly of claim 1, wherein the substrate is comprised of borosilicate glass or tempered soda-lime silica glass.
 - 7. (Original) A warming drawer comprising the warming device of claim 6.
 - 8. (Original) A bread warmer comprising the warming device of claim 6.
- 9. (Original) A heating device comprising the heating assembly of claim 1, wherein the substrate is comprised of a ceramic or glass-ceramic composite.
 - 10. (Original) A cooktop comprising the heating device of claim 9.
- 11. (Original) The cooktop of claim 10, wherein the pan is attached to the cooktop and the cooktop is spaced apart from the substrate by a dimension in the range of 8 to 12 mm.
 - 12. (Original) A countertop burner comprising the heating device of claim 9.

- 13. (Original) The heating assembly of claim 1, further comprising at least one temperature sensor in thermal contact with the substrate or cooking surface.
- 14. (Original) The heating assembly of claim 13, further comprising an appliance control system that communicates with the temperature sensor to regulate the electrical current that is conducted through the coating, thus controlling the heating of the heating assembly.
- 15. (Original) The heating assembly of claim 1, wherein the conductive coating comprises a conductive metal oxide.
- 16. (Original) The heating assembly of claim 1, wherein the bus bars comprise copper disposed by way of a heating head and mask apparatus.
 - 17. (Currently amended) A cooking appliance, comprising:a cooktop;
 - a metal pan, wherein the metal pan is attached to the cooktop;
 - an insulating ring, wherein the insulating frame ring is attached to the pan;
 - a substrate having a major surface and a thin film conductive coating
 - disposed thereon, wherein the substrate is attached to the insulating ring; and

Appl. No. 10/696,754 Response Dated June 27, 2004 Reply to Office Action of April 18, 2005

at least two bus bars, the bus bars being disposed onto and in electrical contact with the coating, the bus bars being capable of carrying electrical heating currents.